


Supplementary information to:

Letter to the editor:

**POORER AND MORE DENSELY POPULATED REGIONS HAVE
LOWER VACCINATION CAPABILITY AGAINST COVID-19**

Paulo Ricardo Martins-Filho¹ , Ricardo Ruan Rocha Santana² , Victor Santana Santos² ,
Lorena G. Barberia³ 

¹ Investigative Pathology Laboratory, Health Sciences Graduate Program, Federal University of Sergipe, Aracaju, Sergipe, Brazil


² Department of Medicine, Federal University of Sergipe, Lagarto, Sergipe, Brazil

³ Department of Political Science, University of Sao Paulo, Sao Paulo, Brazil

* **Corresponding author:** Prof. Paulo Ricardo Martins-Filho, Universidade Federal de Sergipe, Hospital Universitário. Rua Cláudio Batista, s/n. Bairro Sanatório. Aracaju, Sergipe, Brasil. CEP: 49060-100. E-mail: prmartinsfh@gmail.com

<https://dx.doi.org/10.17179/excli2022-4798>

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>).



Supplementary Figure 1: Vaccination capability according to HDI-M and population density in Sergipe state, Northeast Brazil