Supplementary file to:

Letter to the editor:

KINETICS OF HUMORAL IMMUNE RESPONSE IN PATIENTS WITH ASYMPTOMATIC OR MILD COVID-19: A LONGITUDINAL STUDY BASED IN AN IN-HOUSE INDIRECT ELISA METHOD

Nathanielly de Lima Silva^{1,2}, Danilo Nobre¹, Joyceane Alves de Oliveira^{1,2}, Márcia Santos Rezende^{1,2}, Joyce Thayane da Conceição dos Santos^{1,2}, Adriano Antunes de Souza Araújo^{1,2,3}, Lucindo José Quintans-Júnior^{2,3,4}, Rafael Ciro Marques Cavalcante⁵, Luiz Carlos de Souza Ferreira⁶, Paulo Ricardo Martins-Filho⁷, Dulce Marta Schimieguel^{1,2}

- Department of Pharmacy, Laboratory of Hematology, Federal University of Sergipe, São Cristóvão, Sergipe, Brazil
- Graduate Program in Pharmaceutical Sciences, Federal University of Sergipe, Aracaju, Sergipe, Brazil
- Graduate Program in Health Sciences, Federal University of Sergipe, Aracaju, Sergipe, Brazil
- ⁴ Laboratory of Neuroscience and Pharmacological Assays (LANEF), Federal University of Sergipe, São Cristóvão, Sergipe, Brazil
- ⁵ Department of Pharmacy, Federal University of Sergipe, Lagarto, Sergipe, Brazil
- ⁶ Institute of Biomedical Sciences, University of São Paulo, São Paulo, Brazil
- Investigative Pathology Laboratory, Federal University of Sergipe, Aracaju, Sergipe, Brazil
- * Corresponding author: Dra. Dulce Marta Schimieguel, Departamento de Farmácia, Laboratório de Hematologia, Universidade Federal de Sergipe, São Cristóvão, Sergipe, Brasil. CEP: 49100-000. E-mail: dulcemarta@hotmail.com

https://dx.doi.org/10.17179/excli2022-5337

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0/).




Figure 1: Natural humoral response in patients with asymptomatic or mild COVID-19




Figure 2: Influence of age and sex on the humoral response in patients with asymptomatic or mild COVID-19