

Supplementary material to:

**THE RELATIONSHIP BETWEEN SEROLOGY OF HEPATITIS E
VIRUS WITH LIVER AND KIDNEY FUNCTION IN
KIDNEY TRANSPLANT PATIENTS**

Abbas Ali Zeraati¹, Fatemeh Nazemian¹, Ladan Takalloo¹, Amirhossein Sahebkar^{2,3},
Elahe Heidari⁴, Mohammad Ali Yaghoubi^{5*}

¹ Kidney transplantation Complications Research Center, Mashhad University of Medical Sciences, Mashhad, Iran

² Biotechnology Research Center, Mashhad University of Medical Sciences, Mashhad, Iran

³ Metabolic Research Centre, Royal Perth Hospital, School of Medicine and Pharmacology, University of Western Australia, Perth, Australia

⁴ Department of Pediatrics, Imam Reza Hospital, Mashhad University of Medical Sciences, Mashhad, Iran

⁵ Endocrine Research Center, Ghaem Hospital, Mashhad University of Medical Science, Mashhad, Iran

* Correspondence: Mohammad Ali Yaghoubi, yaqubima@yahoo.com

<http://dx.doi.org/10.17179/excli2016-232>

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>).

