

Letter to the editor:

QUERCETIN AND ITS ROLE IN BIOLOGICAL FUNCTIONS: AN UPDATED REVIEW

Jae Kwang Kim¹, Sang Un Park^{2*}

¹ Division of Life Sciences and Convergence Research Center for Insect Vectors, Incheon National University, Incheon 22012, Korea

² Department of Crop Science, Chungnam National University, 99 Daehak-ro, Yuseong-gu, Daejeon, 34134, Korea

* Corresponding author: E-mail: supark@cnu.ac.kr, Tel.: +82-42-821-5730, Fax: +82-42-822-2631

<http://dx.doi.org/10.17179/excli2018-1538>

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>).

Dear Editor,

Quercetin is an important flavonol among the members of six subclasses of flavonoid compounds. The name quercetin was derived from *quercetum* (after *Quercus*, i.e., oak), and has been used since 1857 (Fischer et al., 1997). It has been named as 3,3',4',5,7-pentahydroxyflavone by the International Union of Pure and Applied Chemistry (IUPAC). It is also known by its synonym 3,3',4',5,7-pentahydroxy-2-phenylchromen-4-one (Li et al., 2016). Quercetin is the most widely distributed and extensively studied flavonoid found in various food sources, including fruits, vegetables, nuts, wine, and seeds (Oboh et al., 2016). Quercetin has various biological properties, including antioxidant, anti-inflammatory, antibacterial, antiviral, radical-scavenging, gastroprotective, and immune-modulatory activities (Anand David et al., 2016; Massi et al., 2017). In addition, in several recently-filed patents the wide therapeutic applications of quercetin and its derivatives have been described in detail (Chen et al., 2016; Eid and Haddad, 2017; Sharma et al., 2018).

Quercetin exhibits a wide range of biological activities and therapeutic applications, which are of interest to the pharmaceutical, cosmetic, and food industries (Biler et al., 2017). Here, we summarize the recent studies that have evaluated the biological and pharmacological activities of quercetin (Table 1).

Table 1: Recent studies of the biological and pharmacological activities of quercetin

Key findings	Reference
Quercetin acts as potential agent to reduce oxidative stress likely caused by hyperglycemia and diabetes by modulating some signaling pathways known to be associated with cancer.	Yarahmadi et al., 2018
Owing to its antioxidant property, Quercetin can effectively improve hepatic oxidative damage and hepatotoxicity induced by small-sized gold nanoparticles.	Abdelhalim et al., 2018
Quercetin has therapeutic potential in treatment for renal injury. It can reduce renal injury by modulating macrophage polarization.	Lu et al., 2018
Quercetin has been shown to significantly reduce the acute phase toxic effects of <i>Echis pyramidum</i> venom on the liver and kidneys of rats by preventing oxidative stress in these organs. It has anti-inflammatory, anti-edema, anti-hemorrhagic, and PLA2-inhibitory properties, owing to which it might act as a multi-action antidote against snake venom-induced toxicity.	Al-Asmari et al., 2018
Quercetin showed restorative effects on cellular senescence by down-regulating the activities associated with senescence and up-regulating the expression of anti-oxidant enzyme genes in the aged human dermal fibroblasts.	Sohn et al., 2018
Quercetin nanoparticles are better than quercetin for inhibiting cell growth, as they obstruct cell cycle and assist in apoptosis in MCF-7 (Michigan Cancer Foundation-7) cells; therefore, quercetin nanoparticles could be used for the treatment or prevention of breast cancer.	Aghapour et al., 2018
Quercetin-mediated relaxation of the basilar artery <i>in vitro</i> is partly dependent on the endothelium, which is mostly related to the pathways of NO and COX. It also influences relaxation through the occlusion of Ca channels.	Yuan et al., 2018
Through a novel mechanism, quercetin was shown to control the secretory function of intestinal goblet cells and mucin levels in the enterocytes, thereby exerting protective effects on the intestinal mucosal barrier.	Damiano et al., 2018
Quercetin might protect the mouse embryo against actinomycin D by increasing the number of viable cells and decreasing the number of apoptotic cells, thereby contributing to the expansion of the blastocysts, reduction in the thickness of zona pellucida, and increase in the hatching rate of embryos.	Sameni et al., 2018
Quercetin obstructs the accumulation of azidothymidine-induced neuroinflammation in the central nervous system via Wnt5s-mediated inhibition.	Yang et al., 2018
Chronic supplementation of quercetin exhibits antioxidant potential prior to and after strenuous sporadic exercise, thus making the erythrocytes competent to better cope with an oxidative insult.	Duranti et al., 2018
The acute ingestion of quercetin enhances neuromuscular performance during and after resistance training sessions.	Patrizio et al., 2018
Quercetin, quercetin-3'-sulfate, and quercetin-3-glucuronide exhibit strong anti-tumor effects by inducing a reactive oxygen species-dependent apoptotic pathway in MCF-7 cells.	Wu et al., 2018
Quercetin application and low-level laser therapy together was shown to improve wound healing in both non-diabetic and diabetic rats, when compared with their individual effects.	Ahmed et al., 2018
Quercetin, in combination with low-levels of doxorubicin, showed anti-tumor activity and acted as a novel agent for breast cancer therapy, and also attenuated doxorubicin's toxic side effects.	Li et al., 2018
Quercetin, along with green tea, actuates signaling pathways related to apoptosis, cell cycle, and autophagy; these signaling pathways act in concert to generate antigrowth effects in HL-60 xenograft in mice, indicating that these compounds have the ability to act as allies in cancer treatment.	Calgarotto et al., 2018
Both Quercetin and ellagic acid are used to reduce hepatotoxicity through their antioxidant, metal-chelating, and anti-inflammatory effects.	Afifi et al., 2018
Quercetin inhibits xanthine oxidase, and therefore, has been used as a potential nutritional supplement for protecting against gout and peroxidative damage.	Zhang et al., 2018

Table 1 (cont.): Recent studies of the biological and pharmacological activities of quercetin

Key findings	Reference
The combined application of quercetin and insulin not only overcomes poor oral bioavailability, but also averts the generation of reactive oxygen species responsible for diabetes-mediated complications.	Singh et al., 2018
Quercetin induces the up-regulation of scavenger receptor class B type I and successive lipid uptake in the hepatocytes, suggesting its beneficial effects on cholesterol homeostasis and atherogenesis.	Ren et al., 2018
A diet having either 0.1 or 1 % quercetin enhances the antitumor effect of trichostatin A (TSA), as well as prevents TSA-induced muscle wasting.	Chan et al., 2018
From both <i>in vivo</i> and <i>in vitro</i> trails, it has been shown that Quercetin impedes the development of renal cyst <i>in vitro</i> and <i>in vivo</i> , affirming a novel candidate strategy for autosomal dominant polycystic kidney disease treatment.	Zhu et al., 2018
Quercetin has been used to promote antioxidant defense mechanisms and prevents oxidative stress, intestinal damage, and necrotizing enterocolitis development.	Yazıcı et al., 2018
Quercetin could reinstate the actual intestinal host-microbe relationship to improve colitis by restoring the pro-inflammatory, anti-inflammatory, and bactericidal functions of enteric macrophages.	Ju et al., 2018
Quercetin modulates γ -enolase expression in response to cerebral ischemia, indicating its neuroprotective effect.	Jeon et al., 2017
Quercetin impedes adipogenesis in muscle satellite cells <i>in vitro</i> by controlling the transcription of adipogenic markers.	Funakoshi et al., 2017
Inhalation treatment with quercetin helps in alleviating radiation-induced pneumonitis by decreasing inflammatory cell number and attenuating inflammatory response and pathological changes.	Qin et al., 2017
Quercetin shows highly significant reduction in ulcer size when compared with the effects of benzydamine hydrochloride. Quercetin application is a safe, well-tolerated, and effective therapy that promotes complete ulcer healing within a short period.	Pandya et al., 2017
Quercetin induces apoptosis in Y79 cells by stimulating the pathways of c-Jun N-terminal kinase and p38 mitogen-activated protein kinase, providing a novel treatment approach for human retinoblastoma.	Liu and Zhou, 2017
Quercetin restores the body's sensitivity to corticosteroids, and therefore, might be used as a potential therapeutic agent in combination with corticosteroids in a novel treatment strategy for chronic obstructive pulmonary disease.	Mitani et al., 2017
Quercetin exerts its beneficial effects through a sirtuin 1-mediated mechanism. Sirtuin 1 plays an important role in excitotoxic neurodegeneration, and therefore, its pharmacological modulation might provide opportunities for therapy in motor neuron disorders.	Lazo-Gomez and Tapia, 2017
A combination of quercetin and resveratrol showed beneficial effects in alleviating obesity due to high-fat diet (HFD) and decreasing HFD-induced gut microbiota dysbiosis.	Zhao et al., 2017
CYP2E1 has a vital role in stress-induced pathological processes in diabetic liver; however, quercetin inhibits the secretion of enzymes during the development of diabetes, thereby preventing oxidative damage in the liver.	Maksymchuk et al., 2017
Quercetin treatment could prevent the formation of abnormal human bone in lipopolysaccharide-induced bone diseases.	Guo et al., 2017
Quercetin reduces the symptoms of idiopathic pulmonary fibrosis by restoring the disturbed redox balance and reducing inflammation.	Veith et al., 2017
Quercetin might have a therapeutic potential in treating human osteosarcoma because of its inhibitory effects on cell migration and invasion.	Lan et al., 2017

Table 1 (cont.): Recent studies of the biological and pharmacological activities of quercetin

Key findings	Reference
Quercetin decreases the rate of hyperalgesia caused by tamoxifen-induced adenomyosis in mice. The mechanism of the above-mentioned response is the reduction of central sensitization, which could provide a promising therapy for adenomyosis.	Nie and Liu, 2017
Through its anti-inflammatory effects, Quercetin reduces neuropathic pain by inhibiting the Toll-like receptor signaling pathway.	Ji et al., 2017
Quercetin protects mice from both d-galactose-induced cognitive functional impairment and neuronal cell apoptosis through initiation of the Nrf2-ARE signaling pathway.	Dong et al., 2017
Quercetin exerts a protective effect on vascular calcification in adenine-induced chronic renal failure rats, possibly through the intonation of oxidative stress and induction of the nitric oxide synthase (iNOS)/p38 mitogen-activated protein kinase (p38MAPK) pathway.	Chang et al., 2017
Quercetin, when used in association with different levels of pesticides (5 mg/kg) or their mixture (10 mg/kg), prevents mitochondrial swelling in varied brain tissues.	Beghoul et al., 2017
Quercetin and melatonin are beneficial against necrotic and apoptotic cell death during steatosis. Thus, both agents might be beneficial in the improvement of hepatic steatosis in association with conventional therapy in humans	Esrefoglu et al., 2017
Quercetin inhibits microglia-mediated inflammatory response through the induction of heme oxygenase-1, thereby protecting against obesity-induced hypothalamic inflammation.	Yang et al., 2017
Nicotine-induced imbalance between the production of free radicals and the functioning of the antioxidant defense systems could be prevented using quercetin, thereby suggesting that the administration of this potent antioxidant might be a good option in clinical applications where cellular damage is a consequence of reactive oxygen species.	Yarahmadi et al., 2017
Quercetin acts against ischemia reperfusion injury by inducing heme oxygenase-1 (HO-1) and by exhibiting an unexpected hepatoprotective effect. Tin protoporphyrin (SnPP) also showed similar effects. Because of its superior ability to induce HO-1, quercetin has a more prominent protective effect than SnPP.	Atef et al., 2017
Quercetin shows the ability to reduce prenatal stress-induced pro-inflammatory marker (interleukin 1 beta) levels, thereby impairing febrile seizures. Therefore, quercetin could be used as a therapeutic agent for treating febrile seizures in prenatally stressed individuals.	Mkhize et al., 2017
Quercetin treatment improves follicular development, reduces granulosa cell apoptosis, and upholds oocyte competence in heat-stressed rabbits.	Naseer et al., 2017
Quercetin has a potential clinical application for treating glioblastoma because of its inhibitory effects on glioblastoma cell proliferation and invasion.	Liu et al., 2017
Quercetin enhances functional recovery by up-regulating neuronal intrinsic growth capacity and postponing distal atrophy. In general, quercetin activates multiple effects to uphold behavioral revival following sciatic nerve-crush injury in mice.	Chen et al., 2017
Quercetin application was demonstrated to be effective for pulmonary arterial hypertension probably because it inhibits endothelial trans differentiation possibly via modulating the expression of Akt and Erk1/2.	Huang et al., 2017
Quercetin treatment secures the contractility of bladder tissue against acute ischemia/reperfusion (I/R) injury by reducing the oxidative stress and apoptosis induced by I/R.	Tinay et al., 2017
Quercetin inhibits the survival and metastatic ability of CT26 (colon 26) cells, suggesting that it suppresses colorectal metastasis in a mouse model. These results designate quercetin as a potential therapeutic agent for the treatment of metastatic colorectal cancer.	Kee et al., 2016

Table 1 (cont.): Recent studies of the biological and pharmacological activities of quercetin

Key findings	Reference
By inhibiting oxidative stress, quercetin suppressed cadmium-induced autophagy. This finding provides a theoretical basis for the treatment of cadmium injury.	Yuan et al., 2016
Injection of quercetin in A549 tumor-bearing mice effectively reduced cancer cell growth <i>in vivo</i> . Histone 3 phosphorylation decreased in tumor tissues after quercetin treatment. Thus, quercetin can suppress lung cancer cell growth <i>in vitro</i> and <i>in vivo</i> as an aurora B inhibitor.	Xingyu et al., 2016
Quercetin prevents the impairment of enzymes regulating purinergic and cholinergic extracellular signaling and improves memory and anxiety-like behavior, as seen in an animal model of streptozotocin-induced diabetes.	Maciel et al., 2016
Quercetin was shown to protect liver function against acrylamide-induced DNA damage in rats.	Ansar et al., 2016
Quercetin triggers the endoplasmic reticulum stress (ERS) signaling pathway in hepatic stellate cells, leading to apoptosis. The research group identified an ERS-mediated mechanism of action for quercetin as a promising antifibrotic agent.	He et al., 2016

Acknowledgements

This work was supported by a grant from the Next-Generation BioGreen 21 Program (SSAC, Project #. PJ013328)" Rural Development Administration, Republic of Korea.

Conflict of interest

The authors declare no conflict of interest.

REFERENCES

Abdelhalim MAK, Moussa SAA, Qaid HAY. The protective role of quercetin and arginine on gold nanoparticles induced hepatotoxicity in rats. *Int J Nanomed*. 2018;13:2821-5.

Afifi NA, Ibrahim MA, Galal MK. Hepatoprotective influence of quercetin and ellagic acid on thioacetamide-induced hepatotoxicity in rats. *Can J Physiol Pharmacol*. 2018;7:1-6.

Aghapour F, Moghadamnia AA, Nicolini A, Kani SNM, Barari L, Morakabati P, et al. Quercetin conjugated with silica nanoparticles inhibits tumor growth in MCF-7 breast cancer cell lines. *Biochem Biophys Res Commun*. 2018;500:860-5.

Ahmed OM, Mohamed T, Moustafa H, Hamdy H, Ahmed RR, Aboud E. Quercetin and low level laser therapy promote wound healing process in diabetic rats via structural reorganization and modulatory effects on inflammation and oxidative stress. *Biomed Pharmacother*. 2018;101:58-73.

Al-Asmari AK, Khan HA, Manthiri RA, Al-Khlaiwi AA, Al-Asmari BA, Ibrahim KE. Protective effects of a natural herbal compound quercetin against snake venom-induced hepatic and renal toxicities in rats. *Food Chem Toxicol*. 2018;118:105-10.

Anand David AV, Arulmoli R, Parasuraman S. Overviews of biological importance of quercetin: A bioactive flavonoid. *Pharmacogn Rev*. 2016;10(20):84-9.

Ansar S, Siddiqi NJ, Zargar S, Ganaie MA, Abudawood M. Hepatoprotective effect of quercetin supplementation against acrylamide-induced DNA damage in wistar rats. *BMC Complement Altern Med*. 2016; 16(1):327.

Atef Y, El-Fayoumi HM, Abdel-Mottaleb Y, Mahmoud MF. Quercetin and tin protoporphyrin attenuate hepatic ischemia reperfusion injury: role of HO-1. *Naunyn Schmiedeberg's Arch Pharmacol*. 2017;390: 871-81.

Beghoul A, Kebieche M, Gasmi S, Chouit Z, Amieur C, Lahouel A, et al. Impairment of mitochondrial integrity and redox status in brain regions during a low-dose long-term exposition of rats to pyrethroids: the preventive effect of quercetin. *Environ Sci Pollut Res Int*. 2017;24:19714-22.

Biler M, Biedermann D, Valentová K, Křen V, Kubala M. Quercetin and its analogues: optical and acido-basic properties. *Phys Chem Chem Phys*. 2017;19:26870-9.

Calgarotto AK, Maso V, Junior GCF, Nowill AE, Filho PL, Vassallo J, et al. Antitumor activities of quercetin and green tea in xenografts of human leukemia HL60 cells. *Sci Rep*. 2018;8(1):3459.

- Chan ST, Chuang CH, Lin YC, Liao JW, Lii CK, Yeh SL. Quercetin enhances the antitumor effect of trichostatin A and suppresses muscle wasting in tumor-bearing mice. *Food Funct.* 2018;9:871-9.
- Chang XY, Cui L, Wang XZ, Zhang L, Zhu D, Zhou XR, et al. Quercetin stress in adenine-induced chronic renal attenuates vascular calcification through suppressed oxidative failure rats. *Biomed Res Int.* 2017;2017:5716204.
- Chen MM, Qin J, Chen SJ, Yao LM, Zhang LY, Yin ZQ, et al. Quercetin promotes motor and sensory function recovery following sciatic nerve-crush injury in C57BL/6J mice. *J Nutr Biochem.* 2017;46:57-67.
- Chen S, Jiang H, Wu X, Fang J. Therapeutic effects of quercetin on inflammation, obesity, and type 2 diabetes. *Mediators Inflamm.* 2016;2016:9340637.
- Damiano S, Sasso A, De Felice B, Di Gregorio I, La Rosa G, Lupoli GA, et al. Quercetin increases MUC2 and MUC5AC gene expression and secretion in intestinal goblet cell-like LS174T via PLC/PKC α /ERK1-2 pathway. *Front Physiol.* 2018;9:357.
- Dong F, Wang S, Wang Y, Yang X, Jiang J, Wu D, et al. Quercetin ameliorates learning and memory via the Nrf2-ARE signaling pathway in d-galactose-induced neurotoxicity in mice. *Biochem Biophys Res Commun.* 2017;491:636-41.
- Duranti G, Ceci R, Patrizio F, Sgrò P, Di Luigi L, Sabatini S, et al. Chronic consumption of quercetin reduces erythrocytes oxidative damage: Evaluation at resting and after eccentric exercise in humans. *Nutr Res.* 2018;50:73-81.
- Eid HM, Haddad PS. The antidiabetic potential of quercetin: Underlying mechanisms. *Curr Med Chem.* 2017;24:355-64.
- Esrefoglu M, Cetin A, Taslidere E, Elbe H, Ates B, Tok OE, et al. Therapeutic effects of melatonin and quercetin in improvement of hepatic steatosis in rats through suppression of oxidative damage. *Bratisl Lek Listy.* 2017;118:347-54.
- Fischer C, Speth V, Fleig-Eberenz S, Neuhaus G. Induction of zygotic polyembryos in wheat: influence of auxin polar transport. *Plant Cell.* 1997;9:1767-80.
- Funakoshi T, Kanzaki N, Otsuka Y, Izumo T, Shibata H, Machida S. Quercetin inhibits adipogenesis of muscle progenitor cells in vitro. *Biochem Biophys Rep.* 2017;13:39-44.
- Guo C, Yang RJ, Jang K, Zhou XL, Liu YZ. Protective effects of pretreatment with quercetin against lipopolysaccharide-induced apoptosis and the inhibition of osteoblast differentiation via the MAPK and Wnt/ β -catenin pathways in MC3T3-E1 Cells. *Cell Physiol Biochem.* 2017;43:1547-61.
- He L, Hou X, Fan F, Wu H. Quercetin stimulates mitochondrial apoptosis dependent on activation of endoplasmic reticulum stress in hepatic stellate cells. *Pharm Biol.* 2016;54:3237-43.
- Huang S, Zhu X, Huang W, He Y, Pang L, Lan X, et al. Quercetin inhibits pulmonary arterial endothelial cell transdifferentiation possibly by Akt and Erk1/2 pathways. *Biomed Res Int.* 2017;2017:6147294.
- Jeon SJ, Kim MO, Ali-Shah F, Koh PO. Quercetin attenuates the injury-induced reduction of γ -enolase expression in a middle cerebral artery occlusion animal model. *Lab Anim Res.* 2017;33:308-14.
- Ji C, Xu Y, Han F, Sun D, Zhang H, Li X, et al. Quercetin alleviates thermal and cold hyperalgesia in a rat neuropathic pain model by inhibiting Toll-like receptor signaling. *Biomed Pharmacother.* 2017;94:652-8.
- Ju S, Ge Y, Li P, Tian X, Wang H, Zheng X, et al. Dietary quercetin ameliorates experimental colitis in mouse by remodeling the function of colonic macrophages via a heme oxygenase-1-dependent pathway. *Cell Cycle.* 2018;17:53-63.
- Kee JY, Han YH, Kim DS, Mun JG, Park J, Jeong MY, et al. Inhibitory effect of quercetin on colorectal lung metastasis through inducing apoptosis, and suppression of metastatic ability. *Phytomedicine.* 2016;23:1680-90.
- Lan H, Hong W, Fan P, Qian D, Zhu J, Bai B. Quercetin inhibits cell migration and invasion in human osteosarcoma cells. *Cell Physiol Biochem.* 2017;43:553-67.
- Lazo-Gomez R, Tapia R. Quercetin prevents spinal motor neuron degeneration induced by chronic excitotoxic stimulus by a sirtuin 1-dependent mechanism. *Transl Neurodegener.* 2017;6:31.
- Li S, Yuan S, Zhao Q, Wang B, Wang X, Li K. Quercetin enhances chemotherapeutic effect of doxorubicin against human breast cancer cells while reducing toxic side effects of it. *Biomed Pharmacother.* 2018;100:441-7.
- Li Y, Yao J, Han C, Yang J, Chaudhry MT, Wang S, et al. Quercetin, inflammation and immunity. *Nutrients.* 2016;8(3):167.

- Liu H, Zhou M. Antitumor effect of quercetin on Y79 retinoblastoma cells via activation of JNK and p38 MAPK pathways. *BMC Complement Altern Med.* 2017;17(1):531.
- Liu Y, Tang ZG, Lin Y, Qu XG, Lv W, Wang GB, et al. Effects of quercetin on proliferation and migration of human glioblastoma U251 cells. *Biomed Pharmacother.* 2017;92:33-8.
- Lu H, Wu L, Liu L, Ruan Q, Zhang X, Hong W, et al. Quercetin ameliorates kidney injury and fibrosis by modulating M1/M2 macrophage polarization. *Biochem Pharmacol.* 2018;154:203-12.
- Maciel RM, Carvalho FB, Olabiyi AA, Schmatz R, Gutierrez JM, Stefanello N, et al. Neuroprotective effects of quercetin on memory and anxiogenic-like behavior in diabetic rats: Role of ectonucleotidases and acetylcholinesterase activities. *Biomed Pharmacother.* 2016;84:559-68.
- Maksymchuk O, Shysh A, Rosohatska I, Chashchyn M. Quercetin prevents type 1 diabetic liver damage through inhibition of CYP2E1. *Pharmacol Rep.* 2017;69:1386-92.
- Massi A, Bortolini O, Ragno D, Bernardi T, Sacchetti G, Tacchini M, et al. Research progress in the modification of quercetin leading to anticancer agents. *Molecules.* 2017;22(8):E1270.
- Mitani A, Azam A, Vuppusetty C, Ito K, Mercado N, Barnes PJ. Quercetin restores corticosteroid sensitivity in cells from patients with chronic obstructive pulmonary disease. *Exp Lung Res.* 2017;43:417-25.
- Mkhize NVP, Qulu L, Mabandla MV. The effect of quercetin on pro- and anti-inflammatory cytokines in a prenatally stressed rat model of febrile seizures. *J Exp Neurosci.* 2017;11:1179069517704668.
- Naseer Z, Ahmad E, Epikmen ET, Uçan U, Boyacıoğlu M, İpek E, et al. Quercetin supplemented diet improves follicular development, oocyte quality, and reduces ovarian apoptosis in rabbits during summer heat stress. *Theriogenology.* 2017;96:136-41.
- Nie J, Liu X. Quercetin alleviates generalized hyperalgesia in mice with induced adenomyosis. *Mol Med Rep.* 2017;16:5370-6.
- Oboh G, Ademosun AO, Ogunsuyi OB. Quercetin and its role in chronic diseases. *Adv Exp Med Biol.* 2016;929:377-87.
- Pandya M, Kalappanavar AN, Annigeri RG, Rao DS. Relative efficacy of quercetin compared with benzydamine hydrochloride in minor aphthae: A prospective, parallel, double blind, active control, preliminary study. *Int J Dent.* 2017;2017:7034390.
- Patrizio F, Ditroilo M, Felici F, Duranti G, De Vito G, Sabatini S, et al. The acute effect of quercetin on muscle performance following a single resistance training session. *Eur J Appl Physiol.* 2018;118:1021-31.
- Qin M, Chen W, Cui J, Li W, Liu D, Zhang W. Protective efficacy of inhaled quercetin for radiation pneumonitis. *Exp Ther Med.* 2017;14:5773-8.
- Ren K, Jiang T, Zhao GJ. Quercetin induces the selective uptake of HDL-cholesterol via promoting SR-BI expression and the activation of the PPAR γ /LXR α pathway. *Food Funct.* 2018;9:624-35.
- Sameni HR, Javadinia SS, Safari M, Tabrizi Amjad MH, Khanmohammadi N, Parsaie H, et al. Effect of quercetin on the number of blastomeres, zona pellucida thickness, and hatching rate of mouse embryos exposed to actinomycin D: An experimental study. *Int J Reprod Biomed (Yazd).* 2018;16(2):101-8.
- Sharma A, Kashyap D, Sak K, Tuli HS, Sharma AK. Therapeutic charm of quercetin and its derivatives: a review of research and patents. *Pharm Pat Anal.* 2018;7:15-32.
- Singh S, Kushwah V, Agrawal AK, Jain S. Insulin- and quercetin-loaded liquid crystalline nanoparticles: implications on oral bioavailability, antidiabetic and antioxidant efficacy. *Nanomedicine (Lond).* 2018;13:521-37.
- Sohn EJ, Kim JM, Kang SH, Kwon J, An HJ, Sung JS, et al. Restoring effects of natural anti-oxidant quercetin on cellular senescent human dermal fibroblasts. *Am J Chin Med.* 2018;8:1-21.
- Tinay I, Sener TE, Cevik O, Cadirci S, Toklu H, Cetinel S, et al. Antioxidant agent quercetin prevents impairment of bladder tissue contractility and apoptosis in a rat model of ischemia/reperfusion injury. *Low Urin Tract Symptoms.* 2017;9:117-23.
- Veith C, Drent M, Bast A, van Schooten FJ, Boots AW. The disturbed redox-balance in pulmonary fibrosis is modulated by the plant flavonoid quercetin. *Toxicol Appl Pharmacol.* 2017;336:40-8.
- Wu Q, Needs PW, Lu Y, Kroon PA, Ren D, Yang X. Different antitumor effects of quercetin, quercetin-3'-sulfate and quercetin-3-glucuronide in human breast cancer MCF-7 cells. *Food Funct.* 2018;9:1736-46.
- Xingyu Z, Peijie M, Dan P, Youg W, Daojun W, Xinzheng C, et al. Quercetin suppresses lung cancer growth by targeting Aurora B kinase. *Cancer Med.* 2016;5:3156-65.

- Yang J, Kim CS, Tu TH, Kim MS, Goto T, Kawada T, et al. Quercetin protects obesity-induced hypothalamic inflammation by reducing microglia-mediated inflammatory responses via HO-1 induction. *Nutrients*. 2017;9(7):E650.
- Yang Y, Liu X, Wu T, Zhang W, Shu J, He Y, et al. Quercetin attenuates AZT-induced neuroinflammation in the CNS. *Sci Rep*. 2018;8(1):6194.
- Yarahmadi A, Zal F, Bolouki A. Protective effects of quercetin on nicotine induced oxidative stress in 'HepG2 cells'. *Toxicol Mech Methods*. 2017;27:609-14.
- Yarahmadi A, Khademi F, Mostafavi-Pour Z, Zal F. In-vitro analysis of glucose and quercetin effects on m-TOR and Nrf-2 Expression in HepG2 cell line (diabetes and cancer connection). *Nutr Cancer*. 2018; 21:1-6.
- Yazıcı S, Ozcan CU, Hismiogullari AA, Sunay FB, Ozcan T, Berksoy EA, et al. Protective effects of quercetin on necrotizing enterocolitis in a neonatal rat model. *Am J Perinatol*. 2018;35:434-40.
- Yuan TY, Niu ZR, Chen D, Chen YC, Zhang HF, Fang LH, et al. Vasorelaxant effect of quercetin on cerebral basilar artery in vitro and the underlying mechanisms study. *J Asian Nat Prod Res*. 2018;25:1-11.
- Yuan Y, Ma S, Qi Y, Wei X, Cai H, Dong L, et al. Quercetin inhibited cadmium-induced autophagy in the mouse kidney via inhibition of oxidative stress. *J Toxicol Pathol*. 2016;29:247-52.
- Zhang C, Wang R, Zhang G, Gong D. Mechanistic insights into the inhibition of quercetin on xanthine oxidase. *Int J Biol Macromol*. 2018;112:405-12.
- Zhao L, Zhang Q, Ma W, Tian F, Shen H, Zhou M. A combination of quercetin and resveratrol reduces obesity in high-fat diet-fed rats by modulation of gut microbiota. *Food Funct*. 2017;8:4644-56.
- Zhu Y, Teng T, Wang H, Guo H, Du L, Yang B, et al. Quercetin inhibits renal cyst growth in vitro and via parenteral injection in a polycystic kidney disease mouse model. *Food Funct*. 2018;9:389-96.